Printing date 10/18/2021

Reviewed on 10/18/2021

1 Identification

- · Product identifier
- · Trade name: Cal-Solv
- Article number: C-62
- · Application of the substance / the mixture Cleaner solvent
- Details of the supplier of the safety data sheet
- Manufacturer/Supplier: BAF Industries 8010 Dixie Highway Florence, KY 41042 USA Phone:859-372-5900
- Information department: sds_info@prowax.com
- Emergency Telephone Number: ChemTrec: 800-424-9300

2 Hazard(s) identification

· Classification of the substance or mixture

Flame

Highly flammable liquid and vapor.



May be fatal if swallowed and enters airways.



Causes serious eye irritation. May cause drowsiness or dizziness.

- · Label elements
- *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). *Hazard pictograms*



Signal word Danger
Hazard statements

Highly flammable liquid and vapor.
Causes serious eye irritation.
May cause drowsiness or dizziness.
May be fatal if swallowed and enters airways.

Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
Ground/bond container and receiving equipment.
Use explosion-proof electrical/ventilating/lighting/equipment.
Use only non-sparking tools.
Take precautionary measures against static discharge.

(Contd. on page 2)

USA

Printing date 10/18/2021

Reviewed on 10/18/2021

Trade name: Cal-Solv

(Contd. of page 1)
Avoid breathing dust/fume/gas/mist/vapors/spray
Wash thoroughly after handling.
Use only outdoors or in a well-ventilated area.
Wear protective gloves/protective clothing/eye protection/face protection.
If swallowed: Immediately call a poison center/doctor.
Do NOT induce vomiting.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
Call a poison center/doctor if you feel unwell.
If eye irritation persists: Get medical advice/attention.
In case of fire: Use CO2, powder or water spray to extinguish.
Store in a well-ventilated place. Keep container tightly closed.
Store in a well-ventilated place. Keep cool.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
· Other hazards
· Results of PBT and vPvB assessment
· PBT: Not applicable.
· vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:			
64742-49-0	Aliphatic hydrocarbon, hydrotreated light	25-50%	
67-64-1	acetone	25-50%	
64742-47-8	Distillates (petroleum), hydrotreated light	25-50%	
112-34-5	2-(2-butoxyethoxy)ethanol	<i>≤</i> 2.5%	

4 First-aid measures

· Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.

• After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing: If symptoms persist consult doctor.

• Information for doctor:

- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

USA (Contd. on page 3)

Printing date 10/18/2021

Reviewed on 10/18/2021

Trade name: Cal-Solv

(Contd. of page 2)

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*
- Environmental precautions: Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- Information about storage in one common storage facility: Not required.
- \cdot Further information about storage conditions:
- Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

- Components with limit values that require monitoring at the workplace:
- The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

(Contd. on page 4)

USA

USA

Safety Data Sheet acc. to OSHA HCS

Printing date 10/18/2021

Reviewed on 10/18/2021

Trade name: Cal-Solv

At this time, the other constit	(Contd. of page 3) (Contd. of page 3)
67-64-1 acetone	uenis nuve no known exposure timits.
	(2 1000
PEL Long-term value: 2400	
REL Long-term value: 590 r	ng/m³, 250 ppm
TLV Short-term value: 500	
Long-term value: 250 p	pm
A4, BEI	
112-34-5 2-(2-butoxyethoxy	
TLV Long-term value: 10* p	
*Inhalable fraction and	l vapor
· Ingredients with biological l	imit values:
67-64-1 acetone	
BEI 25 mg/L	
Medium: urine	
Time: end of shift	
Parameter: Acetone (no	nspecific) lists that were valid during the creation were used as basis.
respiratory protective device Protection of hands: Protective gloves	enic measures: everages and feed. d and contaminated clothing. ad at the end of work. nd skin. ow pollution use respiratory filter device. In case of intensive or longer exposure use that is independent of circulating air.
Due to missing tests no reco chemical mixture. Selection of the glove materia Material of gloves The selection of the suitable varies from manufacturer to of the glove material can not Penetration time of glove ma	impermeable and resistant to the product/ the substance/ the preparation. mmendation to the glove material can be given for the product/ the preparation/ the al on consideration of the penetration times, rates of diffusion and the degradation gloves does not only depend on the material, but also on further marks of quality and manufacturer. As the product is a preparation of several substances, the resistance be calculated in advance and has therefore to be checked prior to the application. aterial the has to be found out by the manufacturer of the protective gloves and has to be (Contd. on page 5)

Safety Data Sheet acc. to OSHA HCS

Printing date 10/18/2021

Г

Reviewed on 10/18/2021

• Eye protection:	(Contd. of pag
Eye protection.	
Tightly sealed goggles	
9 Physical and chemical proper	ties
· Information on basic physical and	chemical properties
· General Information	
· Appearance:	T · · 1
Form: Color:	Liquid Colorless
· Odor:	Solvent-like
· Odor threshold:	Not determined.
· pH-value:	Not applicable
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	55.8-56.6 °C (132.4-133.9 °F)
· Flash point:	<-18 °C (<-0.4 °F)
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	210 °C (410 °F)
• Decomposition temperature:	Not determined.
• Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vap mixtures are possible.
• Explosion limits:	
Lower:	0.8 Vol %
Upper:	13 Vol %
· Vapor pressure at 20 °C (68 °F):	233 hPa (174.8 mm Hg)
• Density at 20 •C (68 •F):	0.7845 g/cm ³ (6.5467 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Fully miscible.
· Partition coefficient (n-octanol/wat	er): Not determined.
· Viscosity:	
Dynamic:	Not determined
<i>Kinematic at 40 •C (104 •F):</i>	$<20.5 mm^{2}/s$
· Solvent content:	
Organic solvents:	100.0 %
VOC content:	39.47 %

(Contd. of page 5)

Safety Data Sheet acc. to OSHA HCS

Printing date 10/18/2021

Reviewed on 10/18/2021

Trade name: Cal-Solv

Solids content:

0.0%

• Other information

No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

- Acute toxicity:
- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- *PBT:* Not applicable.

· vPvB: Not applicable.

(Contd. on page 7)

USA

Printing date 10/18/2021

Reviewed on 10/18/2021

Trade name: Cal-Solv

(Contd. of page 6)

• Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number	
· DOT, ADR, IMDG, IATA	UN1993
· UN proper shipping name	
DOT	Flammable liquids, n.o.s. (Acetone, Aliphatic hydrocar
·ADR	hydrotreated light) 1993 FLAMMABLE LIQUID, N.O.S. (ACETONE, Aliph
	hydrocarbon, hydrotreated light)
· IMDG, IATA	FLAMMABLE LIQUID, N.O.S. (ACETONE, Aliph
	hydrocarbon, hydrotreated light)
• Transport hazard class(es)	
·DOT	
3	
· Class · Label	3 Flammable liquids 3
· ADR, IMDG, IATA	
· Class	3 Flammable liquids
· Label	3
· Packing group	
· DOT, ADR, IMDG, IATA	II
· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Warning: Flammable liquids
· Hazard identification number (Kemler cod	le): 33
• EMS Number:	<i>F-E,<u>S-E</u></i>

Printing date 10/18/2021

Reviewed on 10/18/2021

Trade name: Cal-Solv

	(Contd. of page 2
• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· DOT · Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
ADR Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN ''Model Regulation'':	UN 1993 FLAMMABLE LIQUID, N.O.S. (ACETONE ALIPHATIC HYDROCARBON, HYDROTREATED LIGHT), 3, L

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

112-34-5 2-(2-butoxyethoxy)ethanol

• TSCA (Toxic Substances Control Act) All ingredients are listed

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

• Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

67-64-1 acetone

• TLV (Threshold Limit Value)

67-64-1 acetone

(Contd. on page 9)

Ι

A4

USA

Printing date 10/18/2021

Reviewed on 10/18/2021

Trade name: Cal-Solv

	(Contd. of page
NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
GHS label elements The product is classified and labeled according to the Globally Harmon	nized System (GHS).
Hazard pictograms	
$\wedge \wedge \wedge$	
\mathbf{v} \mathbf{v} \mathbf{v}	
Signal word Danger	
Hazard statements	
Highly flammable liquid and vapor.	
Causes serious eye irritation.	
May cause drowsiness or dizziness.	
May be fatal if swallowed and enters airways.	
Precautionary statements	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Avoid breathing dust/fume/gas/mist/vapors/spray	
Wash thoroughly after handling.	
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Immediately call a poison center/doctor.	
Do NOT induce vomiting.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/sl	iower.
<i>IF INHALED: Remove person to fresh air and keep comfortable for breathing.</i>	, , ,
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if pr	esent and easy to de
Continue rinsing.	
Call a poison center/doctor if you feel unwell.	
If eye irritation persists: Get medical advice/attention.	
In case of fire: Use CO2, powder or water spray to extinguish.	
Store in a well-ventilated place. Keep container tightly closed.	
Store in a well-ventilated place. Keep cool.	
Store locked up. Dispose of contents/container in accordance with local/regional/national/international regu	lations
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	iunons.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Contact:

· Date of preparation / last revision 10/18/2021 / 23

• Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

(Contd. on page 10)

(Contd. of page 9)

Safety Data Sheet acc. to OSHA HCS

Printing date 10/18/2021

Reviewed on 10/18/2021

Trade name: Cal-Solv

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flam. Liq. 2: Flammable liquids – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Asp. Tox. 1: Aspiration hazard – Category 1 • * Data compared to the previous version altered.

USA -